CONTENTS

	Page
Aspergillus niger Group. CHARLES THOM and JAMES N. CURRIE.	1
Some Effects of the Blackrot Fungus, Sphaeropsis malorum, upon the Chemical Composition of the Apple. CHARLES W. CULPEPPER, ARTHUR C. FOSTER, and JOSEPH S. CALDWELL.....	17
Formation of Hematoporphyrin in Ox Muscle during Autolysis. RALPH HOAGLAND.....	41
Comparison of the Nitrifying Powers of Some Humid and Some Arid Soils. C. B. LIPMAN, P. S. BURGESS, and M. A. KLEIN..	47
Immobility of Iron in the Plant. P. L. GILE and J. O. CARRERO..	83
Effects of Nicotine as an Insecticide. N. E. MCINDOO.....	89
Acidity and Adsorption in Soils as Measured by the Hydrogen Electrode. L. T. SHARP and D. R. HOAGLAND.....	123
Life History of Habrocytus medicaginis, a Recently Described Parasite of the Chalcis Fly in Alfalfa Seed. THEODORE D. URBAHNS.....	147
Daily Transpiration During the Normal Growth Period and Its Correlation with the Weather. LYMAN J. BRIGGS and H. L. SHANTZ.....	155
Studies of Spongospora subterranea and Phoma tuberosa of the Irish Potato. I. E. MELHUS, J. ROSENBAUM, and E. S. SCHULTZ.....	213
Growth of Parasitic Fungi in Concentrated Solutions. LON A. HAWKINS.....	255
Freezing-Point Lowering of the Leaf Sap of the Horticultural Types of Persea americana. J. ARTHUR HARRIS and WILSON POPENOE.....	261
Grain of the Tobacco Leaf. CHARLES S. RIDGWAY.....	269
Host Plants of Thielavia basicola. JAMES JOHNSON.....	289
Chemical Composition, Digestibility, and Feeding Value of Vegetable-Ivory Meal. C. L. BEALS and J. B. LINDSEY.....	301
Rosy Apple Aphis. A. C. BAKER and W. F. TURNER.....	321
Use of Two Indirect Methods for the Determination of the Hygroscopic Coefficients of Soils. F. J. ALWAY and V. L. CLARK..	345
Correlation Between the Size of Cannon Bone in the Offspring and the Age of the Parents. CHRISTIAN WREIDT.....	361
Laspeyresia molesta, an Important New Insect Enemy of the Peach. A. L. QUAINTANCE and W. B. WOOD.....	373
Energy Values of Red-Clover Hay and Maize Meal. HENRY PRENTISS ARMSBY, J. AUGUST FRIES, and WINFRED WAITE BRAMAN.....	379

Page

Relationship between the Wetting Power and Efficiency of Nicotine-Sulphate and Fish-Oil-Soap Sprays. LOREN B. SMITH... 389

Life History and Poisonous Properties of Claviceps paspali. H. B. BROWN..... 401

Effect of Sodium Salts in Water Cultures on the Absorption of Plant Food by Wheat Seedlings. J. F. BREAZEALE..... 407

Nitrification in Semiarid Soils. W. P. KELLEY..... 417

Factors Affecting the Evaporation of Moisture from the Soil. F. S. HARRIS and J. S. ROBINSON..... 439

Macrosiphum granarium, the English Grain Aphis. W. J. PHILLIPS..... 463

A Specific Mosaic Disease in Nicotiana viscosum Distinct from the Mosaic Disease of Tobacco. H. A. ALLARD..... 481

Syntomaspis druparum, the Apple-Seed Chalcid. R. A. CUSHMAN..... 487

Assimilation of Iron by Rice from Certain Nutrient Solutions. P. L. GILE and J. O. CARRERO..... 503

Influence of Bordeaux Mixture on the Rates of Transpiration from Abscised Leaves and from Potted Plants. WILLIAM H. MARTIN..... 529

ERRATA

Page 15, line 10, "*A. Schiemanni* (Schiemann) Thom, n. comb.=*A. fuscus* Schiemann" should read "A. Schiemanni Thom, new name=*A. fuscus* Schiemann."

Page 15, line 14, "combination" should read "name."

Page 103, lines 4 and 5 from bottom, "Pl. I, fig. 7" should read "Pl. I, fig. G." Line 6 from bottom "Pl. I, fig. 6" should read "Pl. I, fig. F."

Page 128, line 3, "OH^- of 0.5×10^{-7}" should read "$H^+$of 0.5×10^{-7}."

Page 254, Plate 13, last line, "Plate 12" should read "Plate 11."

Page 256, line 2 from bottom, "the salt (sodium chlorid) or sugar solution" should read "the salt or sugar solution."

Page 294, Table II, column 3, "Gratz" should read "Grah" and "*Nicotiana atropurpurea*" should read "*Nicotiana atropurpurea*."

Page 382, Table IV, column 9, line 5, "3733" should read "3773." Column 10, line 7, "25.26" should read "25.36."

Page 386, line 13 from bottom, "863" should read "862."

Page 387, bottom line "1,91" should read "1,913."

Page 417, line 12, "Lipman (16)" should read "Lipman (17)."

Page 418, line 9, "Lipman (16)" should read "Lipman (17)." Lines 27 and 28, "Lipman and Burgess (17, 18, 19, 22, 23)" should read "Lipman and Burgess (16, 18, 19, 22, 23)."

Page 424, Table III, column 1, "0.75 per cent" should read "0.075 per cent."

Page 446, Table IV, column 4, "Loss in 34 days" should read "Loss in 81 days."

Pages 481 to 486, "*Nicotiana viscosum*" should read "*Nicotiana glutinosa*."

ILLUSTRATIONS

PLATES

Effects of Nicotine as an Insecticide

Page

Plate 1. A.—Portion of the large longitudinal trachea of the house fly cut crosswise obliquely, showing the carmine acid "precipitate." B.—Combination drawing from two consecutive sections of a green peach aphis, showing the indigo-carmine "precipitate." C.—Cross section of a large longitudinal trachea of larva of lesser wax moth, showing the indigo-carmine "precipitate" adhering to the tracheal wall. D.—Longitudinal section of one of the smallest tracheæ of the same larva as in figure C. E.—Longitudinal section of a large trachea and one of its branches of a coccid, showing the "precipitate" resulting from the union of pure nicotine and phosphomolybdic acid. F.—Portion of a cross section of an aphid, showing the indigo-carmine "precipitate" in a spiracle. G.—Portion of a cross section of the same aphid as in figure F, showing no precipitate in the trachea but much on the outside of the integument. H–O.—Longitudinal sections of spiracles with connecting tracheæ, showing how it is practically impossible for aqueous spray solutions to enter spiracles, owing to hairs, a closing plate, and a peculiar arrangement of rims at mouths of spiracles. H.—Spiracle of a coccid. I.—Spiracle of a caterpillar of *Atteva aurea*. J.—Spiracle of a larva of lesser wax moth. K.—Spiracle of a caterpillar of *Datana* sp. L.—Spiracle of a caterpillar of a catalpa sphinx. M.—Spiracle of a larva of a Colorado potato beetle. N.—Spiracle of fall webworm. O.—Spiracle of the tomato worm, showing the closing plate..... 122

Plate 2. A to J.—Cross sections of portions of the alimentary canals and Malpighian tubules of worker honeybees, showing "precipitated" indigo-carmine that had been fed with pure nicotine and honey to bees three days before they were fixed in absolute alcohol. A.—Portion of the wall of the ventriculus, showing the "precipitate" in inner ends of the epithelial cells. B.—Portion of the wall of the ventriculus, showing the "precipitate" in the middle of the epithelial cells. C.—Portion of the wall of the ventriculus, showing the "precipitate" in the outer ends of the epithelial cells and in the transverse muscle layer. D.—Portion of the wall of the honey stomach joining the proventriculus, showing the "precipitate" in the chitinous and muscular layers. E.—Portion of the wall of the anterior part of the valve of the proventriculus, showing the "precipitate" in muscles, tracheæ, and epithelial cells. F.—Section through the small intestine, showing the "precipitate" in the center of the lumen and lining epithelium, but none in the walls of this organ nor in the Malpighian tubules by it. G.—Section through two Malpighian tubules against the ventriculus, showing the "precipitate" in their cells and lumens. H.—Section through two Malpighian tubules near the ventriculus, tracheal branch and blood, showing the "precipitate" in these tissues. I.—Section of one-third of the rectum in a compressed condition, showing the "precipitate" in the lumen, but none in the chitinous layer, rectal glands, or muscular layer. J.—Section through the middle of the ventriculus, showing the distribution of the "precipitate" in the lumen, between the peritrophic membranes, in the epithelial and muscular layers of the ventriculus and in the Malpighian tubules..... 122

Page

PLATE 3. A to I, L, M.—Drawings and diagrams representing the distribution of precipitate resulting from the fumes of 40 per cent nicotine sulphate and phosphomolybdic acid. A.—Transverse-longitudinal section of a trachea of an aphid, showing the precipitate inside the trachea and in fat cells near by. B.—Cross section of a portion of an aphid just molting, showing the precipitate on the outer surfaces of the old and the new integuments and between them, but none in the fat cells. C.—Combination drawing from six consecutive sections through thoracic ganglion of an aphid, showing the precipitate in three tracheal branches in the cortical layer and in the inner layer of a ganglion. D.—Diagram of the dorsal tracheal system of an aphid, showing the dorsal trunk and dorsal arch. E.—Diagram of the ventral tracheal system of an aphid, showing the anterior ventral arch, posterior ventral arch, and the ventral trunk. F.—Combination drawing from five consecutive sections through the thorax of an aphid, showing the precipitate on the outer surface of the integument, in the tracheæ, and in the subesophageal ganglion. G.—Portion of cross section of an optic lobe of an aphid, showing the precipitate inside and outside a tracheal branch. H.—Cross section of the brain and optic lobes of an aphid, showing the precipitate in the tracheal branch and in the cortical layer of the brain. I.—Cross section of two ovaries of an aphid, showing the tracheal branch containing precipitate passing between them. L.—Cross section of two tracheæ and a fat cell of a house fly, showing the precipitate in the tracheæ and in the fat cell outside its nucleus. M.—Longitudinal section through a spiracle and its connecting trachea of a house fly, showing the precipitate in the neck of the spiracle and along the tracheal wall. J and K.—Cross sections of the small tracheæ, showing the precipitate in newly formed tracheal walls resulting from the union of pure nicotine and phosphomolybdic acid. N and Q.—Cross sections, showing how well Carnoy's fluid passes through hard chitin, as indicated by remaining crystals of mercuric chlorid. O.—Cross section of a medium-sized trachea of a lesser wax-moth larva, showing that pure nicotine did not pass into an older tracheal wall under the same conditions as stated for figure K. P.—Cross section of portion of the integument of an aphid, showing that pure nicotine did not pass into chitin under same conditions as stated for figures J, K, and O..... 122

LIFE HISTORY OF HABROCYTUS MEDICAGINIS, A RECENTLY DESCRIBED PARASITE OF THE CHALCIS FLY IN ALFALFA SEED

PLATE 4. *Habrocytus medicaginis:* A.—Adult. B.—Cages for rearing parasite larvæ. C.—Larva. D.—Larva destroying its host larva. E.—Pupa..... 154

DAILY TRANSPIRATION DURING THE NORMAL GROWTH PERIOD AND ITS CORRELATION WITH THE WEATHER

PLATE 5. A.—Six pots of alfalfa used in transpiration measurements. B.—Six pots of corn used in transpiration studies..... 212

PLATE 6. The type of spring balance and lifting device used in the transpiration measurements..... 212

SPONGOSPORA SUBTERRANEA AND PHOMA TUBEROSA ON THE IRISH POTATO

PLATE A. *Spongospora subterranea* and *Phoma tuberosa* on *Solanum tuberosum:* 1–5.—*Spongospora subterranea* as found on different varieties of the Irish potato. 6, 7.—Stages in the development of dryrot caused by *Phoma tuberosa*..... 254

Page

PLATE 7. *Spongospora subterranea* on *Solanum tuberosum:* A.—Stem of a potato showing formation of a gall caused by *Spongospora subterranea.* B.—Part of a stolon showing galls caused by *Spongospora subterranea.* C.—Discoloration so often found on the root near the point where the galls form. D.—*Spongospora subterranea* as found on the root system of the potato..... 254

PLATE 8. *Spongospora subterranea* in the roots of various hosts: A.—Section through a potato root affected with *Spongospora subterranea.* B.—Several cells from *Solanum warscewiczii,* showing the formation of "giant cells" and their division into daughter cells. C.—Section through a tomato root, showing effects of infection by *Spongospora subterranea*..... 254

PLATE 9. *Spongospora subterranea* on the roots of various hosts: A.—Galls caused by *Spongospora subterranea* on the roots of *Solanum warscewiczii.* B, C.—Galls caused by *Spongospora subterranea* formed on the roots of the tomato..... 254

PLATE 10. Injuries caused by *Spongospora subterranea* and other agencies: A.—Tuber showing the effect of flea-beetle injury. B.—Tuber showing a very early stage of infection by *Spongospora subterranea.* C, D.—Tubers grown in infected soil in the greenhouse under exceptionally moist conditions and allowed a long growing season. E.—A potato from Ireland showing the cankerous stage. F.—A tuber showing enlargement of the lenticels... 254

PLATE 11. Dryrot associated with *Spongospora subterranea:* A.—A potato tuber showing natural infection with *Phoma* sp. B, C.—Sections through tubers showing more advanced stages of a rot caused by a species of Phoma. D.—A potato tuber showing injury immediately around the sori, due partially to the work of the plasmodium. The lower side of the tuber also shows the beginning of the rot caused by *Phoma* sp. E.—Infection due to *Phoma* sp. on a potato tuber infected with *Spongospora subterranea,* followed by another, due probably to *Fusarium coeruleum.* F, H.—Potato tubers infected with *Spongospora subterranea* about three weeks after harvesting, showing the effects of desiccation injury. G.—Section through a tuber, showing the depth to which rot caused by *Phoma* sp. extends..... 254

PLATE 12. *Spongospora subterranea* and *Phoma tuberosa:* A.—Section of potato tuber through a sorus around which no dryrot has as yet set in. B.—Section of a potato tuber made through a sorus of *Spongospora subterranea* after the tuber had been held in storage and some dryrot due to desiccation had developed. C, D.—Two views of the pycnidia of *Phoma tuberosa* as grown in pure culture. E.—Pycnospores. F.—Mature "bulbils" of *Papulospora coprophila* Hotson, which in the tissues of potato tubers may be mistaken for spore balls of *Spongospora subterranea.* G.—Spores of fungi associated with *Spongospora subterranea* and referred to *Verticillium* sp. and *Stysanus* sp. by Horne, of whose drawing this figure is a reproduction..... 254

PLATE 13. *Phoma tuberosa* on *Solanum tuberosum:* A, B.—Stages of the rot caused by *Phoma tuberosa* on the Irish potato. C, D, E.—Results of artificial inoculation with pure cultures of *Phoma tuberosa*..... 254

PLATE 14. Scab caused by *Phoma tuberosa* and *Oospora scabies* on *Solanum tuberosum:* A.—Section through a tuber affected with common scab. B.—Section through a tuber affected with the rot caused by *Phoma tuberosa*... 254

GRAIN OF THE TOBACCO LEAF

Page

PLATE 15. A, B.—Well-cased tobacco leaves stretched over the closed end of a test tube; showing very pronounced grain development. C.—A portion of a cigar wrapped with a leaf containing very coarse grain. D.—The same as figure C, but after a portion of the cigar had been smoked, showing the white pimples in the ash produced by the burning and swelling of the grain bodies..... 288

PLATE 16. A.—Grain bodies of Connecticut Broadleaf tobacco as seen in ordinary transmitted light. *a*, Idioblasts containing sand crystals of calcium oxalate. B.—Representative grain bodies of class 1. C.—Representative grain bodies of class 2. D.—Representative grain bodies of class 3. E.—Representative grain bodies of class 4. F.—Grain substance in the form of minute spherites..... 288

PLATE 17. A.—Green tobacco leaf killed in absolute alcohol and showing idioblasts of calcium oxalate and minute, scattered, single crystals of an undetermined substance, but no grain. B.—Representative sample of the poor burning 1909 Pennsylvania tobacco. C.—Flue-cured tobacco. Poor burning. D.—Connecticut Broadleaf tobacco. Good burning. E.—Fermented tobacco. Poor burning. F.—Fermented tobacco. Good burning. G.—Tobacco. Cured only..... 288

HOST PLANTS OF THIELAVIA BASICOLA

PLATE 18. Fairly typical diseased spots and lesions caused by *Thielavia basicola* on various host plants. A.—*Citrullus vulgaris*. B.—*Onobrychis viciaefolia*. C.—*Lupinus luteus*. D.—*Arachis hypogaea*. E.—*Robinia pseudoacacia*. F.—*Sclotis chinensis*..... 300

PLATE 19. A.—Part of a field infected with *Thielavia basicola* in foreground, with newer soil planted to tobacco in the background, illustrating the marked pathogenic powers of this organism. B.—A tobacco plant showing diseased roots from infected soil. C.—Healthy roots from uninfected soil of a semiresistant type of tobacco. Figures B and C show the relative growth of plants and amount of root system after equal care in removing roots from the soil..... 300

ROSY APPLE APHIS

PLATE 20. A.—*Aphis sorbi:* Spring migrant. B.—*Aphis kochii:* Spring migrant. C.—*Aphis malifoliae:* Spring migrant..... 344

PLATE 21. *Aphis malifoliae:* A.—Fall migrant. B.—Male. C.—Spring wingless female. D.—Intermediate form..... 344

PLATE 22. A.—*Aphis malifoliae:* Summer wingless form. A.—*Aphis malifoliae:* Oviparous female. C.—Structural details of *Aphis malifoliae*, *A. sorbi*, and *A. kochii*. *a*, *A. sorbi:* Segment VI of antenna of winged form. *b*, *A. malifoliae:* Cornicle of spring wingless form. *c*, *A. malifoliae:* Cornicle of summer wingless form. *d*, *A. malifoliae:* Cauda of summer wingless form. *e*, *A. malifoliae:* Cauda of spring wingless form. *f*, *A. malifoliae:* Segment VI of antenna of winged form. *g*, *A. malifoliae:* Segment VI of antenna of stem mother. *h*, *A. kochii:* Segment VI of antenna of winged form. *i*, *A. sorbi:* Cauda of winged form. *j*, *A. kochii:* Cornicle of spring migrant. *k*, *A. sorbi:* Cornicle of spring migrant. *l*, *A. malifoliae:* Cornicle of spring migrant. *m*, *A. sorbi:* Segment III of antenna of spring migrant. *n*, *A. malifoliae:* Segment III of antenna of spring migrant..... 344

PLATE 23. *Aphis malifoliae* on its alternate host, *Plantago lanceolata*..... 344

Page

PLATE 24. A.—Broad-leaved plantain showing the effect of an attack by *Myzus plantaginis*. B.—Apple leaves curled by colonies of *Aphis malifoliae*..... 344
PLATE 25. A.—Rhode Island Greening apples deformed by *Aphis malifoliae*. B.—Apple twigs twisted by colonies of *Aphis malifoliae:* Beginning of twisting. C.—Apple twigs twisted by colonies of *Aphis malifoliae:* Twisted twig. D.—Winesap apples deformed by *Aphis malifoliae*..... 344

LASPEYRESIA MOLESTA, AN IMPORTANT NEW INSECT ENEMY OF THE PEACH

PLATE 26. *Laspeyresia molesta:* A.—Injury to shoot of a Domestica plum. B.—Injury by larva to cherry..... 378
PLATE 27. *Laspeyresia molesta:* One-year budded peach nursery tree, showing injury of caterpillars..... 378
PLATE 28. *Laspeyresia molesta:* A.—Typical appearance of peach twigs in fall injured by larva. B.—Peach twig, showing large mass of dried gum and leaf fragments due to attack by the caterpillar..... 378
PLATE 29. *Laspeyresia molesta:* A.—Typical exterior appearance of larval injury to peach shoot. B.—The same shoot cut open, showing the larva in its burrow..... 378
PLATE 30. *Laspeyresia molesta:* A.—Cavity excavated in peach by larva entering at the side. B.—Larval injury at stem end of peach; also the summer cocoon of the insect..... 378
PLATE 31. *Laspeyresia molesta:* Peach cut open to show larval injury at the pit. 378

LIFE HISTORY AND POISONOUS PROPERTIES OF CLAVICEPS PASPALI

PLATE 32. A.—Section through a mature stromatic head of *Claviceps paspali*, showing perithecia containing asci. B.—Spike of *Paspalum dilatatum* with mature sclerotia attached. C.—Tufts of hyphæ producing sphacelial spores. D.—Section of mass of tissue within grass spikelet during sphacelia stage of *Claviceps paspali;* spores are produced by tufts of hyphæ along edge of section. E.—Schlerotium of *Claviceps paspali* with stromata. F.—Spikes of *Paspalum dilatatum*, showing a number of sclerotia attached. 406

MACROSIPHUM GRANARIUM, THE ENGLISH GRAIN APHIS

PLATE B. Forms of *Macrosiphum granarium:* 1.—Mother of males and grandmother of oviparous females. 2.—Typical green viviparous female. 3.—Pupa of male. 4.—Pupa of the mother of oviparous females. 5.—Oviparous female..... 480
PLATE 33. *Macrosiphum granarium:* A.—Winged viviparous female: *a*, Cornicle. B.—Winged male..... 480
PLATE 34. *Macrosiphum granarium:* A.—Antenna of male. B.—Antenna of winged viviparous female. C.—Hind tibia of oviparous female. D.—Antenna of wingless viviparous female. E.—Antenna of wingless oviparous female. Antenna of stem mother..... 480

A SPECIFIC MOSAIC DISEASE IN NICOTIANA VISCOSUM DISTINCT FROM THE MOSAIC DISEASE OF TOBACCO

PLATE 35. Leaves of *Nicotiana viscosum* affected with the mosaic disease..... 486
PLATE 36. A.—Normal blossoms from healthy plants of *Nicotiana viscosum*. B.—Depauperate blossoms from mosaic plants affected with the mosaic disease peculiar to *N. viscosum*. C, D.—Blossoms showing catacorolla, etc., as a result of the mosaic disease affecting *Nicotiana viscosum*..... 486

SYNTOMASPIS DRUPARUM, THE APPLE-SEED CHALCID

Page

PLATE 37. *Syntomaspis druparum:* A.—Adult female. B.—Adult male; outline of abdomen, lateral view, at right 502

PLATE 38. *Syntomaspis druparum:* Apple injury and hibernating larvæ. A.—Usual type of injury resulting from oviposition. B, C.—Extreme type of injury resulting from oviposition. D.—Hibernating larvæ within seeds of an apple 502

PLATE 39. *Syntomaspis druparum:* Infested and sound seeds of apples. A.—Infested seeds. B.—Sound seeds 502

PLATE 40. *Syntomaspis druparum:* Oviposition. A.—Female ovipositing in fruit of *Crataegus* sp. B, C.—Oviposition in apples. D.—Mica cage used in the life-history studies of *Syntomaspis druparum* 502

TEXT FIGURES

ACIDITY AND ABSORPTION IN SOILS AS MEASURED BY THE HYDROGEN ELECTRODE

FIG. 1. Diagram of the hydrogen-electrode apparatus and of the apparatus for generating pure hydrogen 140

LIFE HISTORY OF HABROCYTUS MEDICAGINIS, A RECENTLY DESCRIBED PARASITE OF THE CHALCIS FLY IN ALFALFA SEED

FIG. 1. Map of the United States, showing the known distribution of *Habrocytus medicaginis* 148

DAILY TRANSPIRATION DURING THE NORMAL GROWTH PERIOD AND ITS CORRELATION WITH THE WEATHER

FIG. 1. Graphs showing the daily transpiration from the individual pots of plants which constituted the first five sets in the transpiration measurements in 1914 157

2. Graphs showing the daily intensity of environmental factors and the daily transpiration of 22 crops for the year 1914 164

3. Graphs showing the daily intensity of environmental factors and the daily transpiration of 23 crops for the year 1915 174

4. Determination of the area, on a plane normal to the sun's rays, of the shadow of a cylinder of diameter and height in terms of the angular departure of the sun from the vertical 186

5. Ratios of the daily transpiration of Kubanka wheat to the daily intensity of various weather factors, plotted with approximately the same amplitude 188

6. Ratios of the daily transpiration of Minnesota Amber sorghum to the daily intensity of various weather factors, plotted with approximately the same amplitude 188

7. Ratios of the daily transpiration of alfalfa to the daily intensity of various weather factors, plotted with approximately the same amplitude 190

8. The ratio of daily transpiration of different crops in 1914 to daily evaporation (shallow tank) plotted in percentage of the maximum 191

9. The ratio of daily transpiration of different crops grown in 1915 to daily evaporation (shallow tank) plotted in percentage of the maximum .. 192

10. Graph showing a linear relation between the logarithm of the transpiration-evaporation ratio of Sudan grass and the time 196

Page

FIG. 11. Graph showing a linear relation between the logarithm of the transpiration-evaporation ratio of Sudan grass (grown in the open) and the time 197
12. Graph showing a linear relation between the logarithm of the transpiration-evaporation ratio of Algeria corn and the time 198
13. Graph showing a linear relation between the logarithm of the transpiration-evaporation ratio of Northwestern Dent corn and the time.. 199
14. Graph showing a linear relation between the logarithm of the transpiration-evaporation ratio of Minnesota Amber sorghum and the time. 199
15. Graph showing a linear relation between the logarithm of the transpiration-evaporation ratio of alfalfa (in the open) and the time..... 200
16. Observed daily ratios of transpiration to evaporation during early stages of growth of Sudan grass compared with exponential graph computed from the relationship shown in figure 11 200
17. Graphs of the daily ratios of the transpiration of the different crops grown in 1914 plotted logarithmically 201
18. Graphs of the daily ratios of the transpiration of the different crops grown in 1915 plotted logarithmically 203

SPONGOSPORA SUBTERRANEA AND PHOMA TUBEROSA ON THE IRISH POTATO

FIG. 1. Map of the experimental plots at Caribou, Me., showing their arrangement, distribution of *Spongospora subterranea*, percentage by weight of the progeny infected with the disease, and the yield per acre.... 239

GRAIN OF THE TOBACCO LEAF

FIG. 1. Curves plotting data relative to the burning quality of tobacco from fertilizer treatment at Red Lion, Pa., for crops of 1913 and 1914.... 282
2. Curves plotting data relative to the burning quality of the tobacco grown on fertilizer plots at Red Lion, Pa., in 1914 283

USE OF TWO INDIRECT METHODS FOR THE DETERMINATION OF THE HYGROSCOPIC COEFFICIENTS OF SOILS

FIG. 1. Diagram showing the amounts of free water at different levels in eight fields, illustrating the concordance of the values obtained for the hygroscopic coefficient by calculation from the hygroscopic moisture with those directly determined 356

CORRELATION BETWEEN THE SIZE OF CANNON BONE IN THE OFFSPRING AND THE AGE OF THE PARENTS

FIG. 1. Curve showing the percentages of mares with various-sized cannon bones, sired by stallions under 11 years old 363
2. The percentages of mares with various-sized cannon bones, sired by 10 selected stallions when these were under 11 years old 365
3. The percentages of mares of various-sized cannon bones bred from dams under 11 years old 365
4. The percentages of mares of various-sized cannon bones bred from both parents under 11 years old 366
5. The percentages of mares in various classes deviating from their dams when both parents were under 11 years old 366

RELATIONSHIP BETWEEN THE WETTING POWER AND EFFICIENCY OF NICOTINE-SULPHATE AND FISH-OIL-SOAP SPRAYS

Page

FIG. 1. Efficiency and wetting-power graphs for sprays in group 1, containing 10 ounces of nicotine sulphate and varying quantities of soap, and group 4, containing various amounts of soap with no nicotine..... 394
2. Efficiency and wetting-power graphs for group 2, containing 5 pounds of soap, and group 3, containing 1 pound of soap plus varying amounts of nicotine sulphate..... 397

LIFE HISTORY AND POISONOUS PROPERTIES OF CLAVICEPS PASPALI

FIG. 1. *Claviceps paspali: a,* Mature ascus; *b,* ascus breaking up to liberate spores; *c,* ascospore..... 402
2. *Claviceps paspali:* Tip of tuft of hyphæ, showing the production of sphacelia spores..... 403

EFFECT OF SODIUM SALTS IN WATER CULTURES ON THE ABSORPTION OF PLANT FOOD BY WHEAT SEEDLINGS

FIG. 1. Graphs showing the effect of sodium chlorid in nutrient solutions on the nitrogen, potash, and phosphoric-acid content of wheat seedlings. 408
2. Graphs showing the effect of sodium sulphate in nutrient solutions on the nitrogen, potash, and phosphoric-acid content of wheat seedlings. 409
3. Graphs showing the effect of sodium carbonate on the nitrogen, potash, and phosphoric-acid content of wheat seedlings. First series..... 410
4. Graphs showing the effect of sodium carbonate on the nitrogen, potash, and phosphoric-acid content of wheat seedlings. Second series..... 411
5. Graphs of the mean values of the first and second series showing the effect of sodium carbonate on the nitrogen, potash, and phosphoric-acid content expressed in percentage of the dry weight of wheat seedlings..... 412
6. Graphs showing the effect of sodium chlorid on the absorption of nutrients by wheat seedlings..... 414
7. Graphs showing the effect of sodium sulphate on the absorption of nutrients by wheat seedlings..... 414
8. Graphs showing the effect of sodium carbonate on the absorption of nutrients by wheat seedlings..... 415

FACTORS AFFECTING THE EVAPORATION OF MOISTURE FROM THE SOIL

FIG. 1. Evaporation from Greenville loam containing different initial percentages of moisture..... 445
2. Evaporation from sand containing different initial percentages of moisture..... 447
3. Evaporation from clay containing different initial percentages of moisture..... 448
4. Evaporation from muck containing different initial percentages of moisture..... 448
5. Loss of moisture from Petri dishes containing different percentages of soil moisture and kept in a saturated and unsaturated atmosphere.. 449
6. Evaporation of water from wet soils with different wind velocities.... 450
7. Loss of water from soil and temperatures in the sun and under cheesecloth and board shade..... 451
8. Time required at different temperatures to drive off half and all the water from Greenville loam containing 12 per cent moisture..... 452

Page

FIG. 9. Time required at different temperatures to drive off half and all the water from sand containing 20 per cent moisture 453
10. Evaporation of water in 66 days from sand of different sizes with a water table maintained 1 cm. below the surface 454
11. Evaporation of water in 36 days from loam and sand of different sizes with a water table maintained 3 cm. below the surface 454
12. Evaporation of water in 115 days from quartz and river sand of different sizes with a water table maintained 3 cm. below the surface 455
13. Loss of water from glasses having dry mulches of sand of various sizes suspended above free water 455
14. Loss of water in 180 days from glasses having dry mulches of various kinds suspended above free water 456
15. Evaporation from distilled water and from sodium-chlorid solutions of different concentrations 457
16. Evaporation from sand wet with distilled water and with sodium-nitrate solutions of different concentrations 458
17. Evaporation of water from Greenville loam containing different quantities of sodium chlorid 459

MACROSIPHUM GRANARIUM, THE ENGLISH GRAIN APHIS

FIG. 1. Map showing the distribution of *Macrosiphum granarium* in the United States as indicated by records on file in the Bureau of Entomology, 1916 465

SYNTOMASPIS DRUPARUM, THE APPLE-SEED CHALCID

FIG. 1. *Syntomaspis druparum:* Apple and seed showing oviposition puncture. 493
2. *Syntomaspis druparum:* Eggs 494
3. *Syntomaspis druparum:* Newly hatched larva 494
4. *Syntomaspis druparum:* Mouth parts of larva of first instar 494
5. *Syntomaspis druparum:* Mandibles of larvæ of various instars 495
6. *Syntomaspis druparum:* Full-grown larva 495
7. *Syntomaspis druparum:* Mouth parts of full-grown larva 496
8. *Syntomaspis druparum:* Pupa of female 500